

| FAMILY | SPECIES | COMMON_NAM |
|---------------|---|---------------------|
| ACANTHACEAE | <i>Ruellia humilis</i> | Fringeleaf Ruellia |
| ACERACEAE | <i>Acer negundo</i> var. <i>violaceum</i> | Box-elder |
| ADOXACEAE | <i>Sambucus canadensis</i> | Elderberry |
| ALISMATACEAE | <i>Sagittaria brevirostra</i> | Short-beak |
| ALISMATACEAE | <i>Sagittaria calycina</i> var. <i>calycina</i> | Hooded Arrowhead |
| ALISMATACEAE | <i>Sagittaria latifolia</i> | Common Arrowhead |
| AMARANTHACEAE | AMARANTHUS RETROFLEXUS | Redroot Pigweed |
| AMARANTHACEAE | <i>Amaranthus tuberculatus</i> | Water-hemp |
| ANACARDIACEAE | <i>Rhus glabra</i> | Smooth Sumac |
| ANACARDIACEAE | <i>Toxicodendron radicans</i> var. <i>negundo</i> | Eastern Poison Ivy |
| APIACEAE | CONIUM MACULATUM | Poison-hemlock |
| APIACEAE | <i>Lomatium foeniculaceum</i> var. <i>daucifolium</i> | Yellow Wild-parsley |
| APIACEAE | <i>Sanicula canadensis</i> | Canada Sanicle |
| APOCYNACEAE | <i>Apocynum cannabinum</i> | Hemp Dogbane |
| APOCYNACEAE | <i>Asclepias incarnata</i> var. <i>incarnata</i> | Swamp Milkweed |
| APOCYNACEAE | <i>Asclepias lanuginosa</i> | Woolly Milkweed |
| APOCYNACEAE | <i>Asclepias stenophylla</i> | Narrowleaf Milkweed |
| APOCYNACEAE | <i>Asclepias syriaca</i> | Common Milkweed |
| APOCYNACEAE | <i>Asclepias tuberosa</i> var. <i>interior</i> | Butterfly Milkweed |
| APOCYNACEAE | <i>Asclepias verticillata</i> | Whorled Milkweed |
| APOCYNACEAE | <i>Asclepias viridiflora</i> | Green Milkweed |
| APOCYNACEAE | <i>Asclepias viridis</i> | Spider Milkweed |
| ASTERACEAE | <i>Achillea millefolium</i> var. <i>lanulosa</i> | Woolly Yarrow |
| ASTERACEAE | <i>Ageratina altissima</i> | White Snakeroot |
| ASTERACEAE | <i>Ambrosia artemisiifolia</i> var. <i>elatio</i> | Common Ragweed |
| ASTERACEAE | <i>Ambrosia psilostachya</i> | Western Ragweed |
| ASTERACEAE | <i>Ambrosia trifida</i> | Giant Ragweed |
| ASTERACEAE | <i>Antennaria neglecta</i> | Field Pussytoes |
| ASTERACEAE | ARCTIUM MINUS | Common Burdock |
| ASTERACEAE | <i>Arnoglossum plantagineum</i> | Prairie Indian- |
| ASTERACEAE | <i>Artemisia ludoviciana</i> var. <i>ludoviciana</i> | White Sage |
| ASTERACEAE | <i>Aster ericoides</i> var. <i>ericoides</i> | Heath Aster |
| ASTERACEAE | <i>Aster lanceolatus</i> | Panicled Aster |
| ASTERACEAE | <i>Aster sericeus</i> | Silky Aster |
| ASTERACEAE | <i>Bidens cernua</i> | Bur-marigold |
| ASTERACEAE | <i>Bidens connata</i> var. <i>petiolata</i> | Purple-stem Beggar- |
| ASTERACEAE | <i>Bidens frondosa</i> | Devil's Pitchfork |
| ASTERACEAE | <i>Bidens vulgata</i> | Tall Beggar-tick |
| ASTERACEAE | <i>Brickellia eupatorioides</i> var. <i>corymbulosa</i> | False Boneset |
| ASTERACEAE | CARDUUS NUTANS | Musk Thistle |
| ASTERACEAE | CICHORIUM INTYBUS | Chicory |
| ASTERACEAE | <i>Cirsium altissimum</i> | Tall Thistle |
| ASTERACEAE | <i>Cirsium flodmanii</i> | Flodman's Thistle |
| ASTERACEAE | <i>Cirsium undulatum</i> | Wavyleaf Thistle |
| ASTERACEAE | CIRSIUM VULGARE | Bull Thistle |
| ASTERACEAE | <i>Conyza canadensis</i> | Horseweed |

| | | |
|--------------|--|---------------------|
| ASTERACEAE | <i>Dyssodia papposa</i> | Fetid Marigold |
| ASTERACEAE | <i>Echinacea angustifolia</i> | Narrowleaf Purple |
| ASTERACEAE | <i>Eclipta prostrata</i> | Yerba De Tajo |
| ASTERACEAE | <i>Erechtites hieraciifolia</i> | Burnweed |
| ASTERACEAE | <i>Erigeron philadelphicus</i> var. <i>philadelphicus</i> | Marsh Fleabane |
| ASTERACEAE | <i>Erigeron strigosus</i> var. <i>strigosus</i> | Daisy Fleabane |
| ASTERACEAE | <i>Eupatorium perfoliatum</i> | Common Boneset |
| ASTERACEAE | <i>Gnaphalium obtusifolium</i> | Old Field Balsam |
| ASTERACEAE | <i>Grindelia squarrosa</i> var. <i>squarrosa</i> | Curly-top Gumweed |
| ASTERACEAE | <i>Helianthus annuus</i> | Common Sunflower |
| ASTERACEAE | <i>Helianthus grosseserratus</i> | Sawtooth Sunflower |
| ASTERACEAE | <i>Helianthus maximiliani</i> | Maximilian's |
| ASTERACEAE | <i>Helianthus pauciflorus</i> var. <i>pauciflorus</i> (| Stiff Sunflower |
| ASTERACEAE | <i>Helianthus tuberosus</i> | Jerusalem Artichoke |
| ASTERACEAE | <i>Heliopsis helianthoides</i> var. <i>occidentalis</i> | False Sunflower |
| ASTERACEAE | <i>Hieracium longipilum</i> | Longbeard |
| ASTERACEAE | <i>Lactuca canadensis</i> | Wild Lettuce |
| ASTERACEAE | <i>Lactuca pulchra</i> | Showy Blue Lettuce |
| ASTERACEAE | LACTUCA SALIGNA | Willowleaf Lettuce |
| ASTERACEAE | LACTUCA SERRIOLA | Prickly Lettuce |
| ASTERACEAE | <i>Liatris aspera</i> | Rough Gayfeather |
| ASTERACEAE | <i>Liatris punctata</i> | Dotted Gayfeather |
| ASTERACEAE | <i>Liatris pycnostachya</i> | Thickspike |
| ASTERACEAE | MATRICARIA DISCOIDEA (M. | Pineapple-weed |
| ASTERACEAE | <i>Nothocalais cuspidata</i> (<i>Microseris cuspidata</i> | Wavyleaf Prairie- |
| ASTERACEAE | <i>Prenanthes aspera</i> | Rough Rattlesnake- |
| ASTERACEAE | <i>Ratibida columnifera</i> | Longhead Prairie |
| ASTERACEAE | <i>Rudbeckia hirta</i> var. <i>pulcherrima</i> | Black-eyed Susan |
| ASTERACEAE | <i>Rudbeckia laciniata</i> | Golden-glow |
| ASTERACEAE | <i>Senecio plattensis</i> | Prairie Ragwort |
| ASTERACEAE | <i>Silphium integrifolium</i> var. <i>laeve</i> | Rosinweed |
| ASTERACEAE | <i>Silphium laciniatum</i> | Compass-plant |
| ASTERACEAE | <i>Silphium perfoliatum</i> var. <i>perfoliatum</i> | Cup-plant |
| ASTERACEAE | <i>Solidago canadensis</i> | Canada Goldenrod |
| ASTERACEAE | <i>Solidago missouriensis</i> var. <i>fasciculata</i> | Missouri Goldenrod |
| ASTERACEAE | <i>Solidago rigida</i> | Stiff Goldenrod |
| ASTERACEAE | <i>Solidago speciosa</i> var. <i>rigidiuscula</i> | Showy-wand |
| ASTERACEAE | SONCHUS ASPER | Spiny Sow Thistle |
| ASTERACEAE | TARAXACUM OFFICINALE | Common Dandelion |
| ASTERACEAE | TRAGOPOGON DUBIUS | Yellow Goat's-beard |
| ASTERACEAE | <i>Vernonia baldwinii</i> var. <i>interior</i> | Western Ironweed |
| BIGNONIACEAE | CATALPA SPECIOSA | Hardy Catalpa |
| BORAGINACEAE | <i>Hackelia virginiana</i> | Common Stickseed |
| BORAGINACEAE | <i>Lithospermum incisum</i> | Fringed Puccoon |
| BRASSICACEAE | BARBAREA VULGARIS | Wintercress |
| BRASSICACEAE | CAPSELLA BURSA-PASTORIS | Shepherd's Purse |
| BRASSICACEAE | CHORISPORA TENELLA | Blue-mustard |

| | | |
|------------------|--|-----------------------|
| BRASSICACEAE | <i>Descurainia pinnata</i> var. <i>brachycarpa</i> | Western Tansy- |
| BRASSICACEAE | <i>Draba reptans</i> | Common Whitlow- |
| BRASSICACEAE | <i>Erysimum asperum</i> | Western Wallflower |
| BRASSICACEAE | <i>Erysimum cheiranthoides</i> | Wormseed |
| BRASSICACEAE | <i>Lepidium densiflorum</i> | Common Pepperwort |
| BRASSICACEAE | <i>LEPIDIUM DRABA</i> (<i>Cardaria draba</i>) | Heart-pod Hoary |
| BRASSICACEAE | <i>Rorippa palustris</i> var. <i>hispida</i> | Bog Yellowcress |
| BRASSICACEAE | <i>SISYMBRIUM LOESELII</i> | Tall Hedge-mustard |
| BRASSICACEAE | <i>THLASPI ARVENSE</i> | Pennycress |
| CAESALPINACEAE | <i>Gleditsia triacanthos</i> | Honey Locust |
| CAMPANULACEAE | <i>Lobelia siphilitica</i> | Great Blue Lobelia |
| CAMPANULACEAE | <i>Triodanis perfoliata</i> | Clasping-leaf Venus'- |
| CANNABACEAE | <i>CANNABIS SATIVA</i> | Hemp |
| CAPRIFOLIACEAE | <i>LONICERA MAACKII</i> | Amur Honeysuckle |
| CAPRIFOLIACEAE | <i>Symphoricarpos occidentalis</i> | Wolfberry |
| CAPRIFOLIACEAE | <i>Symphoricarpos orbiculatus</i> | Coralberry |
| CARYOPHYLLACEAE | <i>DIANTHUS ARMERIA</i> | Deptford Pink |
| CARYOPHYLLACEAE | <i>SILENE LATIFOLIA</i> ssp. <i>ALBA</i> (<i>S. pratensis</i>) | White Campion |
| CARYOPHYLLACEAE | <i>SILENE NOCTIFLORA</i> | Night-flowering |
| CARYOPHYLLACEAE | <i>STELLARIA PALLIDA</i> | Lesser Chickweed |
| CELASTRACEAE | <i>Celastrus scandens</i> | American Bittersweet |
| CELASTRACEAE | <i>Euonymus atropurpureus</i> | Wahoo |
| CELTIDACEAE | <i>Celtis occidentalis</i> | Hackberry |
| CERATOPHYLLACEAE | <i>Ceratophyllum demersum</i> | Coontail |
| CHENOPODIACEAE | <i>CHENOPODIUM ALBUM</i> | Lamb's Quarters |
| CHENOPODIACEAE | <i>Chenopodium berlandieri</i> var. <i>zschackii</i> | Pitseed Goosefoot |
| CHENOPODIACEAE | <i>Chenopodium missouriense</i> | Missouri Goosefoot |
| CHENOPODIACEAE | <i>Chenopodium pratericola</i> | Desert Goosefoot |
| CHENOPODIACEAE | <i>Chenopodium simplex</i> | Maple-leaf Goosefoot |
| CHENOPODIACEAE | <i>Chenopodium standleyanum</i> | Woodland Goosefoot |
| CHENOPODIACEAE | <i>Chenopodium strictum</i> | Upright Goosefoot |
| CLUSIACEAE | <i>HYPERICUM PERFORATUM</i> | Common St. John's- |
| COMMELINACEAE | <i>Tradescantia bracteata</i> | Long-bract |
| CONVOLVULACEAE | <i>Calystegia macounii</i> | Macoun's Hedge |
| CONVOLVULACEAE | <i>Calystegia sepium</i> ssp. <i>angulata</i> | Common Hedge |
| CONVOLVULACEAE | <i>CONVOLVULUS ARVENSIS</i> | Field Bindweed |
| CONVOLVULACEAE | <i>Cuscuta polygonorum</i> | Smartweed Dodder |
| CORNACEAE | <i>Cornus drummondii</i> | Rough-leaf Dogwood |
| CRASSULACEAE | <i>Penthorum sedoides</i> | Ditch Stonecrop |
| CUCURBITACEAE | <i>Sicyos angulatus</i> | Bur Cucumber |
| CUPRESSACEAE | <i>Juniperus virginiana</i> | Eastern Red Cedar |
| CYPERACEAE | <i>Carex blanda</i> | Common Wood |
| CYPERACEAE | <i>Carex brevior</i> | Short-beak Sedge |
| CYPERACEAE | <i>Carex grisea</i> | Gray Wood Sedge |
| CYPERACEAE | <i>Carex heliophila</i> | Sun Sedge |
| CYPERACEAE | <i>Carex hystericina</i> | Bottlebrush Sedge |
| CYPERACEAE | <i>Carex meadii</i> | Mead's Sedge |

| | | |
|---------------|---|-----------------------|
| CYPERACEAE | <i>Carex stipata</i> | Sawbeak Sedge |
| CYPERACEAE | <i>Cyperus odoratus</i> | Rusty Flatsedge |
| CYPERACEAE | <i>Cyperus schweinitzii</i> | Sand Flatsedge |
| CYPERACEAE | <i>Cyperus strigosus</i> | Straw-colored |
| CYPERACEAE | <i>Eleocharis erythropoda</i> | Bald Spikerush |
| CYPERACEAE | <i>Schoenoplectus pungens</i> var. <i>longispicatus</i> | Three-square Bulrush |
| CYPERACEAE | <i>Schoenoplectus tabernaemontani</i> | Softstem Bulrush |
| CYPERACEAE | <i>Scirpus atrovirens</i> | Dark-green Bulrush |
| ELAEAGNACEAE | ELAEAGNUS ANGUSTIFOLIA | Russian Olive |
| ELAEAGNACEAE | ELAEAGNUS UMBELLATA ssp. PARVIFOLIA | Autumn Olive |
| EQUISETACEAE | <i>Equisetum arvense</i> | Common Horsetail |
| EQUISETACEAE | <i>Equisetum hyemale</i> var. <i>affine</i> | Common |
| EQUISETACEAE | <i>Equisetum laevigatum</i> | Smooth Scouringrush |
| EQUISETACEAE | <i>Equisetum Xferrissii</i> | Ferris' Horsetail |
| EUPHORBIACEAE | <i>Acalypha rhomboidea</i> | Rhombic Copperleaf |
| EUPHORBIACEAE | <i>Croton texensis</i> | Texas Croton |
| EUPHORBIACEAE | <i>Euphorbia corollata</i> | Flowering Spurge |
| EUPHORBIACEAE | <i>Euphorbia cyathophora</i> | Fire-on-the-mountain |
| EUPHORBIACEAE | <i>Euphorbia davidii</i> | David's Spurge |
| EUPHORBIACEAE | <i>Euphorbia dentata</i> | Toothed Spurge |
| EUPHORBIACEAE | EUPHORBIA ESULA (including <i>E. Xpseudoviri</i>) | Leafy Spurge |
| EUPHORBIACEAE | <i>Euphorbia marginata</i> | Snow-on-the- |
| EUPHORBIACEAE | <i>Euphorbia nutans</i> | Eyebane |
| FABACEAE | <i>Amorpha canescens</i> | Leadplant |
| FABACEAE | <i>Amorpha fruticosa</i> | False Indigo-bush |
| FABACEAE | <i>Amphicarpaea bracteata</i> | Hog Peanut |
| FABACEAE | <i>Astragalus canadensis</i> var. <i>canadensis</i> | Canada Milkvetch |
| FABACEAE | <i>Astragalus crassicaarpus</i> var. <i>crassicaarpus</i> | Ground-plum |
| FABACEAE | <i>Baptisia bracteata</i> var. <i>leucophaea</i> | Plains Wild Indigo |
| FABACEAE | <i>Chamaecrista fasciculata</i> var. <i>fasiculata</i> | Partridge Pea |
| FABACEAE | <i>Dalea candida</i> var. <i>candida</i> | White Prairie-clover |
| FABACEAE | <i>Dalea purpurea</i> var. <i>purpurea</i> | Purple Prairie-clover |
| FABACEAE | <i>Desmodium canescens</i> | Hoary Tick-clover |
| FABACEAE | <i>Desmodium illinoense</i> | Illinois Tick-clover |
| FABACEAE | <i>Glycyrrhiza lepidota</i> | Wild Licorice |
| FABACEAE | KUMMEROWIA STIPULACEA (<i>Lespedeza</i>) | Korean Lespedeza |
| FABACEAE | <i>Lespedeza capitata</i> | Round-head Bush- |
| FABACEAE | <i>Lotus purshianus</i> | Prairie Trefoil |
| FABACEAE | MEDICAGO LUPULINA | Black Medick |
| FABACEAE | MEDICAGO SATIVA ssp. SATIVA | Common Alfalfa |
| FABACEAE | MELILOTUS ALBUS | White Sweet-clover |
| FABACEAE | MELILOTUS OFFICINALIS | Yellow Sweet-clover |
| FABACEAE | <i>Pedimelum argophyllum</i> | Silver-leaf Scurfpea |
| FABACEAE | <i>Pedimelum esculentum</i> | Prairie Turnip |
| FABACEAE | <i>Psoralidium tenuiflorum</i> | Slender-flower |
| FABACEAE | ROBINIA PSEUDOACACIA | Black Locust |
| FABACEAE | <i>Strophostyles leiosperma</i> | Slick-seed Wild Bean |

| | | |
|-----------------|--|-----------------------|
| FABACEAE | <i>TRIFOLIUM PRATENSE</i> | Red Clover |
| FABACEAE | <i>TRIFOLIUM REPENS</i> | White Clover |
| FABACEAE | <i>Vicia americana var. minor</i> | American Vetch |
| FAGACEAE | <i>Quercus macrocarpa</i> | Bur Oak |
| GENTIANACEAE | <i>Gentiana puberulenta</i> | Downy Gentian |
| GROSSULARIACEAE | <i>Ribes missouriense</i> | Missouri Gooseberry |
| HYDROPHYLLACEAE | <i>Ellisia nyctelea</i> | Waterpod |
| IRIDACEAE | <i>Sisyrinchium campestre</i> | Prairie Blue-eyed- |
| JUGLANDACEAE | <i>Juglans nigra</i> | Black Walnut |
| JUNCACEAE | <i>Juncus dudleyi</i> | Dudley's Rush |
| JUNCACEAE | <i>Juncus interior</i> | Inland Rush |
| LAMIACEAE | <i>Agastache nepetoides</i> | Catnip Giant-hyssop |
| LAMIACEAE | <i>Hedeoma hispida</i> | Rough False- |
| LAMIACEAE | <i>LAMIUM AMPLEXICAULE</i> | Henbit |
| LAMIACEAE | <i>LEONURUS CARDIACA</i> | Motherwort |
| LAMIACEAE | <i>Lycopus americanus</i> | Common Water- |
| LAMIACEAE | <i>Mentha arvensis</i> | Field Mint |
| LAMIACEAE | <i>Monarda fistulosa var. mollis</i> | Wild Bergamot |
| LAMIACEAE | <i>NEPETA CATARIA</i> | Catnip |
| LAMIACEAE | <i>Salvia azurea var. grandiflora</i> | Pitcher's Sage |
| LAMIACEAE | <i>Scutellaria parvula var. missouriensis (S</i> | Small Skullcap |
| LAMIACEAE | <i>Teucrium canadense var. canadense</i> | American Germander |
| LEMNACEAE | <i>Lemna minor</i> | Common Duckweed |
| LEMNACEAE | <i>Spirodela polyrrhiza</i> | Greater Duckweed |
| LEMNACEAE | <i>Wolffia columbiana</i> | Common Watermeal |
| LILIACEAE | <i>Allium canadense var. canadense</i> | Wild Garlic |
| LILIACEAE | <i>Allium canadense var. lavendulare</i> | Prairie Wild Onion |
| LILIACEAE | <i>ASPARAGUS OFFICINALIS</i> | Asparagus |
| LILIACEAE | <i>Polygonatum biflorum</i> | Solomon's Seal |
| LINACEAE | <i>Linum sulcatum</i> | Grooved Yellow Flax |
| LYTHRACEAE | <i>Ammannia robusta</i> | Large Toothcup |
| LYTHRACEAE | <i>Lythrum alatum var. alatum</i> | Winged Loosestrife |
| MALVACEAE | <i>ABUTILON THEOPHRASTI</i> | Velvetleaf |
| MALVACEAE | <i>Callirhoe involucrata</i> | Purple Poppy Mallow |
| MALVACEAE | <i>HIBISCUS TRIONUM</i> | Flower-of-an-hour |
| MALVACEAE | <i>MALVA NEGLECTA</i> | Common Mallow |
| MENISPERMACEAE | <i>Menispermum canadense</i> | Moonseed |
| MIMOSACEAE | <i>Desmanthus illinoensis</i> | Illinois Bundleflower |
| MORACEAE | <i>MORUS ALBA</i> | White Mulberry |
| NYCTAGINACEAE | <i>Mirabilis nyctaginea</i> | Wild Four-o'clock |
| OLEACEAE | <i>Fraxinus pennsylvanica</i> | Green Ash |
| ONAGRACEAE | <i>Calylophus serrulatus</i> | Plains Yellow- |
| ONAGRACEAE | <i>Epilobium coloratum</i> | Cinnamon |
| ONAGRACEAE | <i>Gaura longiflora</i> | Long-flower Butterfly |
| ONAGRACEAE | <i>Gaura parviflora</i> | Small-flower Gaura |
| ONAGRACEAE | <i>Oenothera biennis</i> | Eastern Evening- |
| ONAGRACEAE | <i>Oenothera villosa var. villosa</i> | Common Evening- |

| | | |
|----------------|---|----------------------|
| ORCHIDACEAE | <i>Spiranthes cernua</i> | Nodding Ladies'- |
| OXALIDACEAE | <i>Oxalis dillenii</i> | Slender Yellow Wood- |
| OXALIDACEAE | <i>Oxalis stricta</i> | Upright Yellow Wood- |
| OXALIDACEAE | <i>Oxalis violacea</i> | Violet Wood-sorrel |
| PHYTOLACCACEAE | <i>Phytolacca americana</i> | Pokeweed |
| PLANTAGINACEAE | <i>PLANTAGO LANCEOLATA</i> | English Plantain |
| PLANTAGINACEAE | <i>Plantago patagonica var. patagonica</i> | Woolly Plantain |
| PLANTAGINACEAE | <i>Plantago rugelii</i> | American Plantain |
| PLANTAGINACEAE | <i>Plantago virginica</i> | Pale-seed Plantain |
| POACEAE | <i>AGROSTIS STOLONIFERA var. PALUSTRIS</i> | Creeping Bentgrass |
| POACEAE | <i>Andropogon gerardii</i> | Big Bluestem |
| POACEAE | <i>Aristida oligantha</i> | Prairie Three-awn |
| POACEAE | <i>Bouteloua curtipendula</i> | Sideoats Grama |
| POACEAE | <i>Bouteloua gracilis</i> | Blue Grama |
| POACEAE | <i>Bouteloua hirsuta</i> | Hairy Grama |
| POACEAE | <i>BROMUS INERMIS</i> | Smooth Brome |
| POACEAE | <i>BROMUS JAPONICUS</i> | Japenese Brome |
| POACEAE | <i>BROMUS TECTORUM</i> | Downy Brome |
| POACEAE | <i>Buchloe dactyloides</i> | Buffalo Grass |
| POACEAE | <i>Cenchrus longispinus</i> | Sandbur |
| POACEAE | <i>Chloris verticillata</i> | Windmill Grass |
| POACEAE | <i>DACTYLIS GLOMERATA</i> | Orchard Grass |
| POACEAE | <i>Digitaria cognata (Leptoloma cognatum)</i> | Fall Witchgrass |
| POACEAE | <i>DIGITARIA ISCHAEMUM</i> | Smooth Crabgrass |
| POACEAE | <i>DIGITARIA SANGUINALIS</i> | Hairy Crabgrass |
| POACEAE | <i>ECHINOCHLOA CRUSGALLI</i> | Large Barnyard Grass |
| POACEAE | <i>ELEUSINE INDICA</i> | Goosegrass |
| POACEAE | <i>Elymus canadensis var. canadensis</i> | Canada Wildrye |
| POACEAE | <i>Elymus smithii</i> | Western Wheatgrass |
| POACEAE | <i>Elymus villosus</i> | Hairy Wildrye |
| POACEAE | <i>Elymus virginicus var. virginicus</i> | Virginia Wildrye |
| POACEAE | <i>ERAGROSTIS CILIANENSIS</i> | Stink Grass |
| POACEAE | <i>Eragrostis spectabilis</i> | Purple Lovegrass |
| POACEAE | <i>Festuca subverticillata</i> | Nodding Fescue |
| POACEAE | <i>Glyceria striata</i> | Fowl Mannagrass |
| POACEAE | <i>Hordeum jubatum</i> | Foxtail Barley |
| POACEAE | <i>Hordeum pusillum</i> | Little Barley |
| POACEAE | <i>Koeleria macrantha</i> | Junegrass |
| POACEAE | <i>Leersia oryzoides</i> | Rice Cutgrass |
| POACEAE | <i>Leersia virginica</i> | Whitegrass |
| POACEAE | <i>LOLIUM ARUNDINACEUM</i> | Tall Fescue |
| POACEAE | <i>Muhlenbergia cuspidata</i> | Plains Muhly |
| POACEAE | <i>Muhlenbergia frondosa</i> | Wirestem Muhly |
| POACEAE | <i>Muhlenbergia racemosa</i> | Marsh Muhly |
| POACEAE | <i>Panicum acuminatum var. fasciculatum</i> | Tapered Spring |
| POACEAE | <i>Panicum capillare var. capillare</i> | Common Witchgrass |
| POACEAE | <i>Panicum dichotomiflorum</i> | Fall Panicum |

| | | |
|-----------------|--|-----------------------|
| POACEAE | <i>Panicum oligosanthes var. scribnerianum</i> | Scribner's Spring |
| POACEAE | <i>Panicum virgatum</i> | Switchgrass |
| POACEAE | <i>Paspalum setaceum var. stramineum</i> | Slender Paspalum |
| POACEAE | <i>Phalaris arundinacea</i> | Reed Canary Grass |
| POACEAE | <i>PHLEUM PRATENSE</i> | Timothy |
| POACEAE | <i>POA COMPRESSA</i> | Canada Bluegrass |
| POACEAE | <i>POA PALUSTRIS</i> | Marsh Bluegrass |
| POACEAE | <i>POA PRATENSIS</i> | Kentucky Bluegrass |
| POACEAE | <i>Schedonnardus paniculatus</i> | Tumblegrass |
| POACEAE | <i>Schizachyrium scoparium</i> | Little Bluestem |
| POACEAE | <i>SCLEROCHLOA DURA</i> | Hardgrass |
| POACEAE | <i>SETARIA FABERI</i> | Chinese Foxtail |
| POACEAE | <i>SETARIA PUMILA</i> | Yellow Foxtail |
| POACEAE | <i>SETARIA VIRIDIS</i> | Green Foxtail |
| POACEAE | <i>Sorghastrum nutans</i> | Indian Grass |
| POACEAE | <i>SORGHUM BICOLOR</i> | Sorghum |
| POACEAE | <i>Spartina pectinata</i> | Prairie Cordgrass |
| POACEAE | <i>Sphenopholis obtusata var. obtusata</i> | Prairie Wedgegrass |
| POACEAE | <i>Sporobolus compositus</i> | Tall Dropseed |
| POACEAE | <i>Sporobolus heterolepis</i> | Prairie Dropseed |
| POACEAE | <i>Sporobolus vaginiflorus</i> | Poverty Dropseed |
| POACEAE | <i>Stipa spartea</i> | Porcupine Grass |
| POACEAE | <i>Tridens flavus</i> | False Redtop |
| POLYGALACEAE | <i>Polygala verticillata var. isocycla</i> | Whorled Milkwort |
| POLYGONACEAE | <i>POLYGONUM AVICULARE</i> | Yard Knotweed |
| POLYGONACEAE | <i>POLYGONUM AVICULARE ssp. DEPRESSUM</i> | Common Knotweed |
| POLYGONACEAE | <i>Polygonum bicornis</i> | Pink Smartweed |
| POLYGONACEAE | <i>POLYGONUM CONVULVULUS</i> | Black-bindweed |
| POLYGONACEAE | <i>Polygonum hydropiperoides</i> | Mild Water-pepper |
| POLYGONACEAE | <i>Polygonum pensylvanicum</i> | Pennsylvania |
| POLYGONACEAE | <i>POLYGONUM PERSICARIA</i> | Lady's-thumb |
| POLYGONACEAE | <i>Polygonum punctatum</i> | Dotted Smartweed |
| POLYGONACEAE | <i>Rumex altissimus</i> | Pale Dock |
| POLYGONACEAE | <i>RUMEX CRISPUS</i> | Curly Dock |
| POTAMOGETONACEA | <i>Potamogeton foliosus</i> | Leafy Pondweed |
| POTAMOGETONACEA | <i>Potamogeton nodosus</i> | Longleaf Pondweed |
| PRIMULACEAE | <i>Androsace occidentalis</i> | Western Rock- |
| PRIMULACEAE | <i>Lysimachia ciliata</i> | Fringed Yellow- |
| RANUNCULACEAE | <i>Anemone caroliniana</i> | Carolina Anemone |
| RANUNCULACEAE | <i>Anemone cylindrica</i> | Candle Anemone |
| RANUNCULACEAE | <i>Clematis virginiana</i> | Eastern Virgin's- |
| RANUNCULACEAE | <i>Delphinium virescens</i> | Prairie Larkspur |
| RANUNCULACEAE | <i>Ranunculus abortivus</i> | Kidney-leaf Buttercup |
| RANUNCULACEAE | <i>RANUNCULUS SCELERATUS var.</i> | Cursed Crow's-foot |
| RANUNCULACEAE | <i>Thalictrum dasycarpum</i> | Purple Meadow Rue |
| RHAMNACEAE | <i>Ceanothus herbaceus</i> | Redroot New Jersey |
| ROSACEAE | <i>Fragaria virginiana ssp. grayana</i> | Wild Strawberry |

| | | |
|------------------|--|------------------------|
| ROSACEAE | <i>Geum canadense</i> | White Avens |
| ROSACEAE | <i>Potentilla norvegica</i> | Norwegian Cinquefoil |
| ROSACEAE | <i>POTENTILLA RECTA</i> | Sulfur Cinquefoil |
| ROSACEAE | <i>Potentilla rivalis</i> | Brook Cinquefoil |
| ROSACEAE | <i>Prunus americana</i> | Wild Plum |
| ROSACEAE | <i>Prunus virginiana</i> | Choke Cherry |
| ROSACEAE | <i>Rosa arkansana</i> var. <i>suffulta</i> | Dwarf Prairie Rose |
| ROSACEAE | <i>ROSA MULTIFLORA</i> | Multiflora Rose |
| ROSACEAE | <i>Rubus occidentalis</i> | Black Raspberry |
| RUBIACEAE | <i>Galium aparine</i> | Annual Bedstraw |
| RUBIACEAE | <i>Houstonia nigricans</i> var. <i>nigricans</i> (<i>Hedyotis</i>) | Narrowleaf Bluets |
| SALICACEAE | <i>Populus deltoides</i> var. <i>occidentalis</i> | Plains Cottonwood |
| SALICACEAE | <i>Salix amygdaloides</i> | Peach-leaf Willow |
| SALICACEAE | <i>Salix exigua</i> var. <i>sericans</i> | Sandbar Willow |
| SANTALACEAE | <i>Comandra umbellata</i> var. <i>umbellata</i> | Bastard Toadflax |
| SCROPHULARIACEAE | <i>Agalinis tenuifolia</i> | Slender False |
| SCROPHULARIACEAE | <i>Mimulus ringens</i> | Alleghany Monkey- |
| SCROPHULARIACEAE | <i>Penstemon cobaea</i> | Cobaea Penstemon |
| SCROPHULARIACEAE | <i>Penstemon grandiflorus</i> | Shell-leaf Penstemon |
| SCROPHULARIACEAE | <i>VERBASCUM THAPSUS</i> | Common Mullein |
| SCROPHULARIACEAE | <i>VERONICA ARVENSIS</i> | Corn Speedwell |
| SCROPHULARIACEAE | <i>Veronica peregrina</i> var. <i>xalapensis</i> | Purslane Speedwell |
| SCROPHULARIACEAE | <i>VERONICA POLITA</i> (<i>V. agrestis</i> , in part) | Field Speedwell |
| SMILACACEAE | <i>Smilax hispida</i> | Bristly Greenbriar |
| SMILACACEAE | <i>Smilax lasioneura</i> | Common Carrion- |
| SOLANACEAE | <i>DATURA STRAMONIUM</i> | Jimson Weed |
| SOLANACEAE | <i>Physalis heterophylla</i> | Clammy Ground- |
| SOLANACEAE | <i>Physalis longifolia</i> | Common Ground- |
| SOLANACEAE | <i>Physalis virginiana</i> | Virginia Ground- |
| SOLANACEAE | <i>Solanum carolinense</i> | Carolina Horse-nettle |
| SOLANACEAE | <i>Solanum ptychanthum</i> | Eastern Black |
| SOLANACEAE | <i>Solanum rostratum</i> | Buffalo Bur |
| TYPHACEAE | <i>TYPHA ANGUSTIFOLIA</i> | Narrowleaf Cattail |
| TYPHACEAE | <i>Typha latifolia</i> | Broadleaf Cattail |
| ULMACEAE | <i>Ulmus americana</i> | American Elm |
| ULMACEAE | <i>ULMUS PUMILA</i> | Siberian Elm |
| ULMACEAE | <i>Ulmus rubra</i> | Slippery Elm |
| ULMACEAE | <i>Ulmus Xnotha</i> (<i>U. pumila</i> X <i>U. rubra</i>) | Hybrid Elm |
| URTICACEAE | <i>Laportea canadensis</i> | Wood Nettle |
| URTICACEAE | <i>Parietaria pensylvanica</i> | Pennsylvania Pellitory |
| URTICACEAE | <i>Pilea pumila</i> | Woodland Clearweed |
| URTICACEAE | <i>Urtica dioica</i> ssp. <i>gracilis</i> | Stinging Nettle |
| VERBENACEAE | <i>Verbena bracteata</i> | Prostrate Vervain |
| VERBENACEAE | <i>Verbena hastata</i> | Blue Vervain |
| VERBENACEAE | <i>Verbena stricta</i> | Hoary Vervain |
| VERBENACEAE | <i>Verbena urticifolia</i> | White Vervain |
| VIOLACEAE | <i>Viola bicolor</i> | Wild Pansy |

| | | |
|----------------|------------------------------------|---------------------|
| VIOLACEAE | <i>Viola nephrophylla</i> | Northern Bog Violet |
| VIOLACEAE | <i>Viola pedatifida</i> | Prairie Violet |
| VIOLACEAE | <i>Viola sororia</i> | Downy Wood Violet |
| VITACEAE | <i>Parthenocissus quinquefolia</i> | Virginia Creeper |
| VITACEAE | <i>Parthenocissus vitacea</i> | Woodbine |
| VITACEAE | <i>Vitis riparia</i> | Riverbank Grape |
| ZYGOPHYLLACEAE | <i>TRIBULUS TERRESTRIS</i> | Puncture-vine |